

TABLE OF CONTENTS

NORTH AMERICAN SPECIFICATION FOR THE DESIGN OF COLD-FORMED STEEL STRUCTURAL MEMBERS 2001 EDITION

PREFACE.....	3
SYMOBLS AND DEFINITIONS	15
A. GENERAL PROVISIONS	33
A1 Limits of Applicability and Terms	33
A1.1 Scope and Limits of Applicability.....	33
A1.2 Terms	34
A1.3 Units of Symbols and Terms.....	37
A2 Material	37
A2.1 Applicable Steels	37
A2.2 Other Steels	38
A2.3 Ductility	38
A2.4 Delivered Minimum Thickness	40
A3 Loads	40
A4 Allowable Strength Design	40
A4.1 Design Basis	40
A4.1.1 ASD Requirements.....	40
A4.1.2 Load Combinations for ASD.....	41
A5 Load and Resistance Factor Design	41
A5.1 Design Basis	41
A5.1.1 LRFD Requirements.....	41
A5.1.2 Load Factors and Load Combinations for LRFD	41
A6 Limit States Design.....	41
A6.1 Design Basis	41
A6.1.1 LSD Requirements.....	41
A6.1.2 Load Factors and Load Combinations for LSD.....	42
A7 Yield Point and Strength Increase from Cold Work of Forming.....	42
A7.1 Yield Point.....	42
A7.2 Strength Increase from Cold Work of Forming	42
A8 Serviceability	43
A9 Referenced Documents	43
B. ELEMENTS	45
B1 Dimensional Limits and Considerations.....	45
B1.1 Flange Flat-Width-to-Thickness Considerations	45
B1.2 Maximum Web Depth-to-Thickness Ratios.....	46
B2 Effective Widths of Stiffened Elements	47
B2.1 Uniformly Compressed Stiffened Elements	47
B2.2 Uniformly Compressed Stiffened Elements with Circular Holes	49
B2.3 Webs and other Stiffened Elements under Stress Gradient	49
B2.4 C-Section Webs with Holes under Stress Gradient	51
B3 Effective Widths of Unstiffened Elements	52

B3.1	Uniformly Compressed Unstiffened Elements	52
B3.2	Unstiffened Elements and Edge Stiffeners under Stress Gradient.....	52
B4	Effective Widths of Elements with One Intermediate Stiffener or an Edge Stiffener	53
B4.1	Uniformly Compressed Elements with One Intermediate Stiffener.....	53
B4.2	Uniformly Compressed Elements with an Edge Stiffener.....	54
B5	Effective Widths of Stiffened Elements with Multiple Intermediate Stiffeners or Edge Stiffened Elements with Intermediate Stiffeners.....	56
B5.1	Effective Widths of Uniformly Compressed Stiffened Elements with Multiple Intermediate Stiffeners	56
B5.1.1	Specific Case: 'n' Identical Stiffeners, Equally Spaced	57
B5.1.2	General Case: Arbitrary Stiffener Size, Location and Number.....	57
B5.2	Edge Stiffened Elements with Intermediate Stiffeners	59
C.	MEMBERS	60
C1	Properties of Sections	60
C2	Tension Members	60
C3	Flexural Members.....	60
C3.1	Bending.....	60
C3.1.1	Nominal Section Strength [Resistance]	60
C3.1.2	Lateral-Torsional Buckling Strength [Resistance].....	62
C3.1.2.1	Lateral-Torsional Buckling Strength [Resistance] of Open Cross Section Members.....	62
C3.1.2.2	Lateral-Torsional Buckling Strength [Resistance] of Closed Box Members	65
C3.1.3	Beams Having One Flange Through-Fastened to Deck or Sheathing.....	65
C3.1.4	Beams Having One Flange Fastened to a Standing Seam Roof System	67
C3.1.5	Strength [Resistance] of Standing Seam Roof Panel Systems	67
C3.2	Shear	68
C3.2.1	Shear Strength [Resistance] of Webs without Holes	68
C3.2.2	Shear Strength [Resistance] of C-Section Webs with Holes	69
C3.3	Combined Bending and Shear.....	69
C3.3.1	ASD Method.....	69
C3.3.2	LRFD and LSD Methods.....	70
C3.4	Web Crippling	71
C3.4.1	Web Crippling Strength [Resistance] of Webs without Holes	71
C3.4.2	Web Crippling Strength [Resistance] of C-Section Webs with Holes.....	74
C3.5	Combined Bending and Web Crippling	75
C3.5.1	ASD Method.....	75
C3.5.2	LRFD and LSD Methods.....	77
C3.6	Stiffeners	79
C3.6.1	Transverse Stiffeners.....	79
C3.6.2	Shear Stiffeners	80
C3.6.3	Non-Conforming Stiffeners.....	80
C4	Centrically Loaded Compression Members.....	81
C4.1	Sections Not Subject to Torsional or Torsional-Flexural Buckling.....	81
C4.2	Doubly- or Singly-Symmetric Sections Subject to Torsional or Torsional-Flexural Buckling.....	82

C4.3	Point-Symmetric Sections.....	82
C4.4	Nonsymmetric Sections.....	83
C4.5	Built-Up Members.....	83
C4.6	Compression Members Having One Flange Through-Fastened to Deck or Sheathing.....	83
C5	Combined Axial Load and Bending.....	85
C5.1	Combined Tensile Axial Load and Bending.....	85
C5.1.1	ASD Method.....	85
C5.1.2	LRFD and LSD Methods.....	86
C5.2	Combined Compressive Axial Load and Bending.....	86
C5.2.1	ASD Method.....	86
C5.2.2	LRFD and LSD Methods.....	88
C6	Closed Cylindrical Tubular Members.....	91
C6.1	Bending.....	91
C6.2	Compression.....	91
C6.3	Combined Bending and Compression.....	92
D.	STRUCTURAL ASSEMBLIES.....	93
D1	Built-Up Sections.....	93
D1.1	I-Sections Composed of Two C-Sections.....	93
D1.2	Spacing of Connections in Compression Elements.....	94
D2	Mixed Systems.....	94
D3	Lateral Bracing.....	94
D3.1	Symmetrical Beams and Columns.....	94
D3.2	C-Section and Z-Section Beams.....	94
D3.2.1	Anchorage of Bracing for Roof Systems Under Gravity Load With Top Flange Connected to Sheathing.....	95
D3.2.2	Neither Flange Connected to Sheathing.....	97
D4	Wall Studs and Wall Stud Assemblies.....	98
D4.1	Compression.....	99
D4.2	Bending.....	102
D4.3	Combined Axial Load and Bending.....	102
D5	Floor, Roof or Wall Steel Diaphragm Construction.....	102
E.	CONNECTIONS AND JOINTS.....	104
E1	General Provisions.....	104
E2	Welded Connections.....	104
E2.1	Groove Welds in Butt Joints.....	104
E2.2	Arc Spot Welds.....	105
E2.2.1	Shear.....	104
E2.2.2	Tension.....	108
E2.3	Arc Seam Welds.....	104
E2.4	Fillet Welds.....	110
E2.5	Flare Groove Welds.....	112
E2.6	Resistance Welds.....	114
E2.7	Fracture in Net Section of Members other than Flat Sheets (Shear Lag).....	115
E3	Bolted Connections.....	116

E3.1	Shear, Spacing and Edge Distance	116
E3.2	Fracture in Net Section (Shear Lag)	117
E3.3	Bearing	117
E3.3.1	Strength [Resistance] without Consideration of Bolt Hole Deformation	117
E3.3.2	Strength [Resistance] with Consideration of Bolt Hole Deformation	118
E3.4	Shear and Tension in Bolts	118
E4	Screw Connections	118
E4.1	Minimum Spacing	119
E4.2	Minimum Edge and End Distances	119
E4.3	Shear	119
E4.3.1	Connection Shear Limited by Tilting and Bearing	119
E4.3.2	Connection Shear Limited by End Distance	120
E4.3.3	Shear in Screws	120
E4.4	Tension	120
E4.4.1	Pull-Out	120
E4.4.2	Pull-Over	120
E4.4.3	Tension in Screws	120
E5	Rupture	120
E6	Connections to Other Materials	121
E6.1	Bearing	121
E6.2	Tension	121
E6.3	Shear	121
F.	TESTS FOR SPECIAL CASES	122
F1	Tests for Determining Structural Performance	122
F1.1	Load and Resistance Factor Design and Limit States Design	122
F1.2	Allowable Strength Design	126
F2	Tests for Confirming Structural Performance	126
F3	Tests for Determining Mechanical Properties	126
F3.1	Full Section	126
F3.2	Flat Elements of Formed Sections	127
F3.3	Virgin Steel	127
G.	DESIGN OF COLD-FORMED STEEL STRUCTURAL MEMBERS AND CONNECTIONS FOR CYCLIC LOADING (FATIGUE)	128
G1	General	128
G2	Calculation of Maximum Stresses and Stress Ranges	129
G3	Design Stress Range	129
G4	Bolts and Threaded Parts	130
G5	Special Fabrication Requirements	131
PREFACE TO APPENDIX A.....	A2	
APPENDIX A: PROVISIONS APPLICABLE TO THE UNITED STATES.....	A3	
A1.1a	Scope and Limits of Applicability	A3
A2.2	Other Steels	A3
A3	Loads	A3
A3.1	Nominal Loads	A3
A4.1.2	Load Combinations for ASD	A3

A5.1.2	Load Factors and Load Combinations for LRFD	A4
A9a	Referenced Documents	A4
C2	Tension Members	A4
C3.1.4	Beams Having One Flange Fastened to a Standing Seam Roof System	A5
E2a	Welded Connections	A5
E3a	Bolted Connections.....	A6
E3.1	Shear, Spacing and Edge Distance.....	A7
E3.2	Fracture in Net Section (Shear Lag).....	A8
E3.4	Shear and Tension in Bolts.....	A9
E4.3.2	Connection Shear Limited by End Distance.....	A14
E5	Rupture	A14
E5.1	Shear Rupture	A14
E5.2	Tension Rupture	A14
E5.3	Block Shear Rupture	A14
PREFACE TO APPENDIX B:	B2
APPENDIX B: PROVISIONS APPLICABLE TO CANADA	B3
A1.2a	Terms	B3
A2.1a	Applicable Steels	B3
A2.2	Other Steels	B3
A2.2.1	Other Structural Quality Steels.....	B3
A2.2.2	Other Steels.....	B3
A2.4a	Delivered Minimum Thickness.....	B3
A3	Loads	B4
A3.1	Specified Loads.....	B4
A3.2	Temperature Effects.....	B5
A6.1.2	Load Factors and Load Combinations for LSD.....	B5
A6.1.2.1	Load Factors (α).....	B5
A6.1.2.2	Load Combination Factor (ψ)	B5
A6.1.2.3	Importance Factor (γ)	B5
A9a	Reference Documents	B6
C2	Tension Members	B6
C2.1	Yielding of Gross Section	B6
C2.2	Fracture of Net Section	B6
C3.1.4	Beams Having One Flange Fastened to a Standing Seam Roof System	B7
D3a	Lateral Bracing.....	B7
D3.1a	Symmetrical Beams and Columns	B7
D3.1.1	Discrete Bracing.....	B8
D3.1.2	Bracing by Deck, Slab, or Sheathing	B8
D3.2a	C-Section and Z-Section Beams.....	B8
D3.2.3	Discrete Bracing.....	B8
D3.2.4	One Flange Braced by Deck, Slab, or Sheathing	B8
D3.2.5	Both Flanges Braced by Deck, Slab, or Sheathing.....	B9
E2a	Welded Connections	B9
E2.2a	Arc Spot Welds	B9
E2.3a	Arc Seam Welds.....	B9
E3a	Bolted Connections.....	B10

E3.1	Shear, Spacing and Edge Distance	B10
E3.2	Fracture in Net Section (Shear Lag)	B10
E3.3a	Bearing	B11
E3.4	Shear and Tension in Bolts	B11
	E4.3.2 Connection Shear Limited by End Distance	B12
E5	Rupture	B12
APPENDIX C: PROVISIONS APPLICABLE TO MEXICO		C3
A1.1a	Country Specific Scope and Limits of Applicability	C3
A2.2	Other Steels	C3
A3	Loads	C3
A3.1	Nominal Loads	C3
	A4.1.2 Load Combinations for ASD	C3
	A5.1.2 Load Factors and Load Combinations for LRFD	C4
A9a	Referenced Documents	C4
C2	Tension Members	C5
	C3.1.4 Beams Having One Flange Fastened to a Standing Seam Roof System	C5
E2a	Welded Connections	C5
E3a	Bolted Connections	C6
	E3.1 Shear, Spacing and Edge Distance	C7
	E3.2 Fracture in Net Section (Shear Lag)	C8
	E3.4 Shear and Tension in Bolts	C9
	E4.3.2 Connection Shear Limited by End Distance	C13
E5	Rupture	C13
	E5.1 Shear Rupture	C13
	E5.2 Tension Rupture	C13
	E5.3 Block Shear Rupture	C13