

SECTION GUIDE

VOLUME 1

Part I

Dimensions and Properties I-1 - I-156

Part II

Beam Design II-1 - II-256

Part III

Column Design III-1 - III-138

Part IV

Connection Design IV-1 - IV-70

Part V

Supplementary Information V-1 - V-28

Part VI

Test Procedures VI-1 - VI-10

VOLUME 2

Part VII

North American Specification VII-i - VII-B-6

Part VIII

Commentary on North American Specification VIII-i - VIII-R-29

TABLE OF CONTENTS

PART I DIMENSIONS AND PROPERTIES

For Use With the 2016 Edition of the North American Specification for the Design of Cold-Formed Steel Structural Members

SECTION 1 – STEELS – AVAILABILITY AND PROPERTIES	3
1.1 Introduction to Table of Referenced Steels	3
1.2 Summary of Scope and Principal Tensile Properties, ASTM Specifications for Referenced Steels	4
1.3 Material Thickness	14
SECTION 2 – REPRESENTATIVE COLD-FORMED STEEL SECTIONS	15
2.1 Representative Versus Actual Sections	15
2.1.1 Joist/Stud and Track Section Nomenclature	15
2.1.2 Other Section Nomenclature	15
2.2 Notes on Tables	16
2.3 Gross Section Property Tables	16
Table I-1 Gross Section Properties – C-Sections With Lips	17
Table I-2 Gross Section Properties – Joists/Studs – C-Sections With Lips	20
Table I-3 Gross Section Properties – Tracks – C-Sections Without Lips	24
Table I-4 Gross Section Properties – Z-Sections With Lips	30
Table I-5 Gross Section Properties – Z-Sections Without Lips	33
Table I-6 Gross Section Properties – Equal Leg Angles With Lips	34
Table I-7 Gross Section Properties – Equal Leg Angles Without Lips	35
Table I-8 Gross Section Properties – Hat Sections Without Lips	36
2.4 Steel Deck	37
2.4.1 Deck Profiles	37
2.4.2 Maximum Spans	39
2.4.3 Section Properties	40
SECTION 3 – CALCULATION OF SECTION PROPERTIES	41
3.1 Linear Method for Computing Properties of Formed Sections	41
3.2 Properties of Line Elements	42
3.2.1 Straight Line Elements	42
3.2.2 Circular Line Elements	42
3.3 Properties of Sections	43
3.3.1 Equal Leg Angles (Singly-Symmetric) With and Without Lips	44
3.3.2 C-Sections (Singly-Symmetric) With and Without Lips and Hat Sections (Singly-Symmetric)	46
3.3.3 I-Sections With Unequal Flanges (Singly-Symmetric) and T-Sections (Singly-Symmetric)	49
3.3.4 Z-Sections (Point-Symmetric) With and Without Lips	51
3.4 Distortional Buckling Properties	53
3.4.1 Flanges With 90 Degree Lips	53

3.4.2	Flanges With Sloped Lips.....	54
3.5	Gross Section Properties – Example Problems.....	54
	Example I-1 C-Section With Lips – Gross Section Properties.....	55
	Example I-2 C-Section Without Lips – Gross Section Properties.....	59
	Example I-3 Z-Section With Lips – Gross Section Properties.....	62
	Example I-4 Equal Leg Angle With Lips – Gross Section Properties.....	67
	Example I-5 Equal Leg Angle Without Lips – Gross Section Properties.....	70
	Example I-6 Hat Section Without Lips – Gross Section Properties.....	73
	Example I-7 Wall Panel Section With Intermediate Stiffeners – Gross Section Properties...	77
3.6	Available Strength of a Laterally Braced Member.....	80
3.6.1	Local Buckling With the Effective Width Method.....	80
3.6.2	Local Buckling With the Direct Strength Method.....	81
3.6.3	Distortional Buckling With the Direct Strength Method.....	82
3.7	Example Problems for EWM and DSM Approaches.....	82
	Example I-8A C-Section With Lips – Effective Section Properties.....	83
	Example I-8B C-Section With Lips – Fully Braced Section – Direct Strength Method.....	90
	Example I-9A C-Section Without Lips – Effective Section Properties.....	97
	Example I-9B C-Section Without Lips – Fully Braced Section – Direct Strength Method....	100
	Example I-10 Z-Section With Lips – Effective Section Properties.....	103
	Example I-11 Equal Leg Angle With Lips – Effective Section Properties.....	110
	Example I-12 Equal Leg Angle Without Lips – Effective Section Properties.....	112
	Example I-13 Hat Section – Effective Section Properties Using Inelastic Reserve Capacity.....	115
	Example I-14 Wall Panel Section With Intermediate Stiffeners – Effective Section Properties.....	121
	Example I-15 C-Section With Lips – Inelastic Reserve Capacity Using Element-Based Method and Direct Strength Method.....	135
3.8	Special Topics.....	139
	Example I-16 Strength Increase From Cold Work of Forming.....	139
	Example I-17 Shear Lag.....	141
	Example I-18 Flange Curling.....	143
	Example I-19 Section Properties of Cross-Sections With Large Corner Radii.....	144
	Example I-20 Cellular Deck With Intermittent Fasteners.....	148

TABLE OF CONTENTS

PART II BEAM DESIGN

For Use With the 2016 Edition of the North American Specification for the Design of Cold-Formed Steel Structural Members

SECTION 1 – BENDING	4
1.1 Notes on the Tables.....	5
1.2 Beam Property Tables.....	5
Table II-1 Beam Properties – C-Sections With Lips.....	6
Table II-2 Beam Properties – Joists/Studs – C-Sections With Lips	8
Table II-3 Beam Properties – Tracks – C-Sections Without Lips	10
Table II-4 Beam Properties – Z-Sections With Lips	12
Table II-5 Beam Properties – Z-Sections Without Lips	13
Table II-6 Beam Properties – Hat Sections Without Lips.....	14
1.3 Distortional Buckling Flexural Strength Tables	15
Table II-7 Distortional Buckling Properties – Flexural Strength – C-Sections With Lips... 16	
Table II-8 Distortional Buckling Properties – Joists/Studs – Flexural Strength C-Sections With Lips.....	18
Table II-9 Distortional Buckling Properties – Flexural Strength – Z-Sections With Lips... 21	
1.4 Calculation of L_u	23
1.5 Notes on the Charts.....	24
1.6 Beam Charts	24
Chart II-1 Nominal Flexural Strength – Purlins and Girts – C-Sections With Lips ($F_y = 55$ ksi, $C_b = 1$)	25
Chart II-2a Nominal Flexural Strength – Joists/Studs – C-Sections With Lips ($F_y = 33$ ksi, $C_b = 1$)	31
Chart II-2b Nominal Flexural Strength – Joists/Studs – C-Sections With Lips ($F_y = 50$ ksi, $C_b = 1$)	37
Chart II-3 Nominal Flexural Strength – Purlins and Girts – Z-Sections With Lips ($F_y = 55$ ksi, $C_b = 1$)	45
SECTION 2 – COMBINED BENDING AND SHEAR	57
2.1 Notes on the Tables.....	57
2.2 Combined Shear and Bending Tables	57
Table II-10a ASD-Combined Shear and Bending – Purlins/Girts – C-Sections With Lips.... 58	
Table II-10b LRFD/LSD-Combined Shear and Bending – Purlins/Girts – C-Sections With Lips	60
Table II-11a ASD-Combined Shear and Bending – Joists/Studs – C-Sections With Lips..... 63	
Table II-11b LRFD/LSD-Combined Shear and Bending – Joists/Studs – C-Sections With Lips	66
Table II-12a ASD-Combined Shear and Bending – Purlins/Girts – Z-Sections With Lips.... 70	
Table II-12b LRFD/LSD-Combined Shear and Bending – Purlins/Girts – Z-Sections With Lips	72

SECTION 3 – WEB CRIPPLING	75
3.1 Notes on the Tables.....	75
3.2 Web Crippling Tables.....	75
Table II-13 Web Crippling – Purlins/Girts – C-Sections With Lips	76
Table II-14 Web Crippling – Joists/Studs – C-Sections With Lips.....	81
Table II-15 Web Crippling – Purlins/Girts – Z-Sections With Lips.....	89
Table II-16a Web Crippling Reduction Factor, R_c , for Interior Loading – Joists/Studs – C-Sections With Lips	95
Table II-16b Web Crippling Reduction Factor, R_c , for End Loading – Joists/Studs – C-Sections With Lips	95
SECTION 4 – EXAMPLE PROBLEMS	96
Example II-1A Four Span Continuous C-Purlins Attached to Through-Fastened Roof – LRFD – Effective Width Method.....	96
Example II-1B C-Section With Lips – Flexural Strength for Example II-1A – Direct Strength Method	111
Example II-1C Four Span Continuous C-Purlins Attached to Through-Fastened Roof – LRFD – Direct Strength Method	114
Example II-2A Four Span Continuous Z-Purlins Attached to Through-Fastened Roof – ASD	143
Example II-2B Z-Section With Lips – Flexural Strength for Example II-2A – Direct Strength Method	159
Example II-3 Four Span Continuous Standing-Seam Roof System – ASD.....	163
Example II-4A C-Section Without Lips - Braced at Mid-Span – Effective Width Method....	172
Example II-4B C-Section Without Lips - Braced at Mid-Span – Direct Strength Method	176
Example II-5 Distortional Buckling of C-Section	181
Example II-6A C-Section Without Lips in Weak Axis Bending – Effective Width Method..	190
Example II-6B C-Section Without Lips in Weak Axis Bending – Direct Strength Method ..	194
Example II-7A Fully Braced Hat Section – Effective Width Method	198
Example II-7B Fully Braced Hat Section – Direct Strength Method	200
Example II-8 Tubular Section – Round.....	204
Example II-9 Tubular Section – Rectangular	206
Example II-10 C-Section With Openings.....	209
Example II-11 C-Section With Combined Bending and Torsional Loading	220
Example II-12 Web Crippling	235
Example II-13 Web-Stiffened C-Section by the Direct Strength Method – Flexure.....	237
Example II-14 Lipped C-Section With Web Perforations by the Direct Strength Method – Flexure	240
Example II-15 C-Section With Lips: Shear Strength by the Finite Strip Method.....	245
Example II-16 Wall Panel Section With Intermediate Stiffeners – Direct Strength Method	248

TABLE OF CONTENTS

PART III COLUMN DESIGN

For Use With the 2016 Edition of the North American Specification for the Design of Cold-Formed Steel Structural Members

SECTION 1 – CONCENTRICALLY LOADED COLUMNS	4
1.1 Notes on the Tables	4
1.2 Nominal Axial Strength Tables – Braced Columns	5
Table III-1 Braced Column Properties – Purlins/Girts – C-Sections With Lips	6
Table III-2 Braced Column Properties – Joists/Studs – C-Sections With Lips	8
Table III-3 Braced Column Properties – Tracks – C-Sections Without Lips	10
1.3 Distortional Buckling Axial Strength Tables	12
Table III-4 Distortional Buckling Properties – Purlins/Girts – Axial Strength – C-Sections With Lips	13
Table III-5 Distortional Buckling Properties – Joists/Studs – Axial Strength – C-Sections With Lips	15
Table III-6 Distortional Buckling Properties – Purlins/Girts – Axial Strength – Z-Sections With Lips	18
1.4 Nominal Axial Strength Tables – Unbraced Columns	20
Table III-7 Nominal Axial Strength – Purlins/Girts – C-Sections With Lips	20
Table III-8 Nominal Axial Strength – Joists/Studs – C-Sections With Lips	23
Table III-9 Nominal Axial Strength – Tracks – C-Sections Without Lips	29
SECTION 2 – EXAMPLE PROBLEMS	34
Example III-1A Braced C-Section With Lips – Bending and Compression – Effective Width Method	34
Example III-1B Braced C-Section With Lips – Bending and Compression – Direct Strength Method	39
Example III-2 C-Section With Lips With Holes – Compression	44
Example III-3 C-Section Subject to Distortional Buckling – Compression	50
Example III-4 C-Section With Lips With Holes – Compression – Direct Strength Method ..	56
Example III-5A Unbraced Equal Leg Angle With Lips – Compression – Effective Width Method	63
Example III-5B Unbraced Equal Leg Angle With Lips – Compression – Direct Strength Method	68
Example III-6 Tubular Section – Round – Bending and Compression	73
Example III-7A Stiffened Z-Section With One Flange Through-Fastened to Deck or Sheathing – Compression – Effective Width Method	77
Example III-7B Stiffened Z-Section With One Flange Through-Fastened to Deck or Sheathing – Compression – Flexural Buckling by Direct Strength Method ...	80
Example III-7C Stiffened Z-Section With One Flange Through-Fastened to Deck or Sheathing – Compression – Direct Strength Method	84

Example III-8	Stiffened Z-Section With One Flange Fastened to a Standing Seam Roof - Compression.....	91
Example III-9A	Hat Section - Bending and Compression - Effective Width Method.....	94
Example III-9B	Hat Section - Bending and Compression - Direct Strength Method.....	98
Example III-10	I-Section - Built-Up From Channels.....	102
Example III-11	Square HSS Section - Bending and Compression	110
Example III-12	Unbraced Frame Design Methods	116
Example III-13	Braced Frame Design by Second-Order Analysis	131
Example III-14	Web-Stiffened C-Section - Compression - Direct Strength Method	133

TABLE OF CONTENTS

PART IV CONNECTIONS DESIGN

For Use With the 2016 Edition of the North American Specification for the Design of Cold-Formed Steel Structural Members

SECTION 1 – WELDS	3
1.1 Notes on the Tables.....	3
1.2 Welded Connection Design Tables.....	4
Table IV-1 Fillet Welds – Shear of Sheet.....	5
Table IV-2 Resistance (“Spot”) Welds – Shear Strength.....	5
Table IV-3 Arc Spot Welds – Shear of Sheet(s) Welded to a Thicker Supporting Member...	6
Table IV-4 Arc Spot Welds – Shear of Sheet Welded to an Identical Sheet.....	7
Table IV-5 Arc Spot Welds – Tension	8
SECTION 2 – BOLTS	9
2.1 Notes on the Tables.....	9
2.2 Bolted Connection Design Tables	10
Table IV-6 Bolts – Tension.....	10
Table IV-7 Bolts – Shear	11
Table IV-8a Bolts – Bearing on Connected Members – Inside Sheet of Double Shear Connections With or Without Washers – Standard Holes – Bolt Hole Deformation Not Considered	12
Table IV-8b Bolts – Bearing on Connected Members – Outside Sheets of Connections With Washers on Both Sides – Standard Holes – Bolt Hole Deformation Not Considered.....	12
Table IV-8c Bolts – Bearing on Connected Members – Outside Sheets of Connections Without Washers on Both Sides – Standard Holes – Bolt Hole Deformation Not Considered.....	13
Table IV-8d Bolts – Bearing on Connected Members – Single Shear or Outside Sheets of Connections Without Washers on Both Sides – Oversized or Short-Slotted Hole Parallel to Applied Load – Bolt Hole Deformation Not Considered.....	13
Table IV-8e Bolts – Bearing on Connected Members – Single Shear or Outside Sheets of Connections Without Washers on Both Sides – Short-Slotted Hole Perpendicular to Applied Load – Bolt Hole Deformation Not Considered.....	14
Table IV-8f Bolts – Bearing on Connected Members – Inside Sheets of Double Shear Connections With or Without Washers on Both Sides – Oversized or Short-Slotted Hole Parallel to Applied Load – Bolt Hole Deformation Not Considered.....	14
Table IV-8g Bolts – Bearing on Connected Members – Inside Sheets of Double Shear Connections With or Without Washers on Both Sides – Short-Slotted Hole Perpendicular to Applied Load – Bolt Hole Deformation Not Considered.....	15

SECTION 3 – SCREWS	16
3.1 Notes on the Tables.....	16
3.2 Screwed Connection Design Tables.....	17
Table IV-9a Screws – Shear of Sheet ($F_u = 45$ ksi) – Purlin/Girt Thicknesses	18
Table IV-9b Screws – Shear of Sheet ($F_u = 65$ ksi) – Purlin/Girt Thicknesses	19
Table IV-9c Screws – Shear of Sheet ($F_u = 45$ ksi) – Joist/Stud or Track Design Thicknesses.....	20
Table IV-9d Screws – Shear of Sheet ($F_u = 65$ ksi) – Joist/Stud or Track Design Thicknesses.....	21
Table IV-10a Screws – Pull-Out ($F_u = 45$ ksi) – Purlin/Girt Thicknesses.....	22
Table IV-10b Screws – Pull-Out ($F_u = 65$ ksi) – Purlin/Girt Thicknesses.....	22
Table IV-10c Screws – Pull-Out ($F_u = 45$ ksi) – Joist/Stud or Track Design Thicknesses	23
Table IV-10d Screws – Pull-Out ($F_u = 65$ ksi) – Joist/Stud or Track Design Thicknesses	23
Table IV-11a Hex Head Screws – Pull-Over ($F_u = 45$ ksi) – Purlin/Girt Thicknesses	24
Table IV-11b Hex Head Screws – Pull-Over ($F_u = 65$ ksi) – Purlin/Girt Thicknesses	25
Table IV-11c Hex Head Screws – Pull-Over ($F_u = 45$ ksi) – Joist/Stud or Track Design Thicknesses.....	26
Table IV-11d Hex Head Screws – Pull-Over ($F_u = 65$ ksi) – Joist/Stud or Track Design Thicknesses.....	26
SECTION 4 – POWER-ACTUATED FASTENERS	27
SECTION 5 – EXAMPLE PROBLEMS	28
5.1 Weld Examples.....	28
Example IV-1 Flat Section With Fillet Welded Lap Connection.....	28
Example IV-2 Flat Section With Arc Spot Welded Connection.....	30
Example IV-3 Flat Section With Arc Seam Welded Connection	37
Example IV-4 Flat Section With Flare Bevel Groove Weld	40
Example IV-5 Flat Section With Flare Bevel Groove Weld, $t > 0.10$ in.	42
Example IV-6 Flat Section With Flare V-Groove Weld.....	44
Example IV-7 Flat Section With Groove Welded Butt Joint.....	46
Example IV-8 Top Arc Seam Sidelap Weld.....	48
5.2 Bolt Examples	50
Example IV-9 Bolted Flat Section.....	50
Example IV-10 Bolted Angle Connection.....	55
5.3 Screw Example	60
Example IV-11 Screwed Connection	60
5.4 Power-Actuated Fastener Examples.....	65
Example IV-12 Power-Actuated Fasteners in Shear and Tension.....	65
SECTION 6 – SELECTED CFSEI TECH NOTES RELATED TO COLD-FORMED STEEL CONNECTIONS ..	70

TABLE OF CONTENTS

PART V SUPPLEMENTARY INFORMATION

For Use With the 2016 Edition of the North American Specification for the Design of Cold-Formed Steel Structural Members

SECTION 1 – SPECIFICATION CROSS-REFERENCE	2
SECTION 2 – LATERALLY UNBRACED COMPRESSION FLANGES	7
SECTION 3 – TORSIONAL-FLEXURAL BUCKLING OF NON-SYMMETRICAL SHAPES	8
SECTION 4 – SUGGESTED COLD-FORMED STEEL STRUCTURAL FRAMING, ENGINEERING, FABRICATION, AND ERECTION PROCEDURES FOR QUALITY CONSTRUCTION	10
SECTION 5 – DESIGN FOR PONDING	11
5.1 Ponding Loads for Simple Span Purlin With Uniformly Distributed Loads and Rigid Support	11
5.2 Ponding Analyses for Flexible Supports and Other Conditions	15
5.3 Ponding Example	15
Example V-1 Purlin Subjected to Ponding Loads.....	16
SECTION 6 – DESIGN FOR SYSTEM STABILITY	22
6.1 Direct Analysis Method Using Rigorous Second-Order Elastic Analysis.....	22
6.2 Direct Analysis Method Using Amplified First-Order Elastic Analysis	23
6.3 Effective Length Method (Using Amplified First-Order Elastic Analysis).....	23
6.4 Summary of Design and Analysis Methods Outlined in Sections C1.1, C1.2, and C1.3	24
SECTION 7 – BIBLIOGRAPHY OF AISI STANDARDS, AISI DESIGN GUIDES, AND CFSEI TECHNICAL NOTES	25

TABLE OF CONTENTS

PART VI TEST PROCEDURES

For Use With the 2016 Edition of the North American Specification for the Design of Cold-Formed Steel Structural Members

SECTION 1 – BIBLIOGRAPHY	2
SECTION 2 – EXAMPLE PROBLEMS	5
Example VI-1 Computing ϕ and Ω Factors From Test Data Using Section K2.1.1(a).....	5
Example VI-2 Computing ϕ and Ω Factors From Test Data Using Section K2.1.1(b).....	7